# **Cover sheet for the safety data sheet**

# Product identification:

Trade name	METALL POLISH TUBE 75ML
Intended use	METALL POLISH
UFI	SJPV-J00T-A000-Q6FM
ltem number	AUT01-001000

Supplier submitting the safety data sheet:			
Supplier:	TELL's Power AG Bahnhofweg 2 + 4 CH-6405 Immensee		
Phone:	041 850 77 44		
E-Mail :	info@tellspower.ch		
National emergency number:	<b>145</b> (available 24 hours, Tox Info Suisse, Zurich; for calls from Switzerland, information in German, French and Italian)		

# Information for users concerning:

Section 1	For commercial users only
Section 13	Do not dispose of completely empty packaging together with household waste. Packaging must be sent for recycling. Treat product residues and non- emptied packaging as hazardous waste. Residues may pose an explosion hazard. Do not perforate uncleaned containers, cut or weld uncleaned containers. Dispose of hazardous waste in accordance with Directive 91/689/EEC at an authorized disposal site, indicating a waste code number in accordance with Decision 2000/532/EC. Disposal should be carried out in accordance with regional, national and local laws and regulations. Local regulations may be stricter than regional or national requirements and must be observed. Switzerland: Dispose of completely empty packaging with municipal waste. Return partially emptied containers to the point of sale or hand them over to a collection point for special waste.
Section 15	This product may only be supplied to professional users

Cover sheet created: 15.03.2022



# Safety data sheet

according to 1907/2006/EC, Article 31

Page 1/8 Printing date 06.01.2022 Revision: 05.01.2022 Version number 27

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

· Trade name: Metal Polish

- · UFI: SJPV-J00T-A000-Q6FM
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Sector of Use
- SU21 Consumer uses: Private households / general public / consumers
- SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- Application of the substance / the mixture Polishing agent/ Burnishing compound Cleaning agent/ Cleaner
- 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: TELL's POWER AG Bahnhofweg 2 + 4 6405 Immensee Schweiz Tel. 041 850 77 44 Mail: info@tellspower.ch www.tellspower.ch

#### · 1.4 Emergency telephone number:

Tel.: 145 Tox Info Suisse

## **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008
- The product is not classified, according to the CLP regulation.

#### · 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information: Keep out of reach of children.
- · 2.3 Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.

(Contd. on page 2)



Page 2/8

(Contd. of page 1)

Printing date 06.01.2022 Revision: 05.01.2022 Version number 27

## Trade name: Metal Polish

· vPvB: Not applicable.

## **SECTION 3: Composition/information on ingredients**

- $\cdot$  3.2 Chemical characterisation: Mixtures
- $\cdot$  **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:			
EC number: 918-481-9 Reg.nr.: 01-2119457273-39-xxxx	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2 aromatics Asp. Tox. 1, H304	2% 1 	10-25%
EC number: 926-141-6 Reg.nr.: 01-2119456620-43-xxxx & Asp. Tox. 1, H304			10-25%
EC number: 918-811-1 Reg.nr.: 01-2119463583-34-xxxx	Hydrocarbons, C10, aromatics, <1% naphthalene Asp. Tox. 1, H304; Aquatic Chronic 2, H411; STO SE 3, H336		1-10%
CAS: 68187-76-8 EINECS: 269-123-7	Castor oil, sulfated, sodium salt		1-10%
Regulation (EC) No 648/2004 on detergents / Labelling for contents			
aliphatic hydrocarbons ≥15 -			<30%
soap ≥5 -		≥5 - <	<15%
aromatic hydrocarbons, anionic surfactants <5%		<5%	
• Additional information: For the wording of the listed bazard phrases refer to section 16			

· Additional information: For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

- $\cdot$  4.1 Description of first aid measures
- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: If skin irritation continues, consult a doctor.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Rinse out mouth and then drink plenty of water. Seek immediate medical advice.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **SECTION 5:** Firefighting measures

## · 5.1 Extinguishing media

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.



# Safety data sheet

according to 1907/2006/EC, Article 31

Page 3/8 Printing date 06.01.2022 Revision: 05.01.2022 Version number 27

(Contd. of page 2)

### Trade name: Metal Polish

- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information Cool endangered receptacles with water spray.

#### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures
 Ensure adequate ventilation
 Destinuter denser of clinning on looked/enilled product

Particular danger of slipping on leaked/spilled product.

- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- 6.4 Reference to other sections
   See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.
   See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

- 7.1 Precautions for safe handling Store in cool, dry place in tightly closed receptacles. No special measures required.
- Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- · Storage class: 10
- 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further data; see item 7.

· Ingredients with limit values that require monitoring at the workplace:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2%

aromatics

EU HSPA Long-term value: 1200 mg/m<sup>3</sup>

• Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)



# Safety data sheet

according to 1907/2006/EC, Article 31

Page 4/8 Printing date 06.01.2022 Revision: 05.01.2022 Version number 27

(Contd. of page 3)

#### Trade name: Metal Polish

· 8.2 Exposure controls

· Personal protective equipment:

· General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

• Respiratory protection: Not necessary if room is well-ventilated.

· Protection of hands:

Solvent resistant gloves

Alkaline resistant gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

## · Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material:  $\geq 0.5$  mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 16523-1:2015: Level 6). The exact break through time has to be found out by the manufacturer of the protective gloves and has to

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling

## **SECTION 9: Physical and chemical properties**

<ul> <li>9.1 Information on basic physical and c</li> <li>General Information</li> <li>Appearance:</li> </ul>	hemical properties
Form:	Pasty
Colour:	White
· Odour:	Characteristic
· Odour threshold:	Not determined.
· pH-value at 20 °C:	9.5
<ul> <li>Change in condition Melting point/freezing point: Initial boiling point and boiling range:</li> </ul>	Undetermined. 100 °C
· Flash point:	65 °C
· Flammability (solid, gas):	Not applicable.
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
	(Contd. on page 5)

(Contd. on page 5)

GB —



Page 5/8 Printing date 06.01.2022 Revision: 05.01.2022 Version number 27

#### **Trade name: Metal Polish**

	(Contd. of p	bage 4
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure:	Not determined.	
· Density at 20 °C:	1.26 g/cm <sup>3</sup>	
· Relative density	Not determined.	
· Vapour density	Not determined.	
Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic at 40 °C:	>21 mm²/s	
· 9.2 Other information	No further relevant information available.	

## **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

#### · 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:			
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics			
Oral	LD50	>5,000 mg/kg (rat)	
Dermal	LD50	>5,000 mg/kg (rabbit)	
Inhalative	LC50 (4 h)	4,951 mg/l (rat)	
Hydrocar	Hydrocarbons, C11-C14, n-alkanes, iso-alkanes, cyclics, <2% aromatics		
Oral	LD50	>5,000 mg/kg (rat)	
Dermal	LD50	>5,000 mg/kg (rabbit)	
		(Contd. d	on page 6)

<sup>—</sup> GB —



Page 6/8 Printing date 06.01.2022 Revision: 05.01.2022 Version number 27

#### Trade name: Metal Polish

		(Contd. of page 5)
Inhalative	LC50 (4 h)	>5,000 mg/l (rat)
68187-76-	-8 Castor oi	I, sulfated, sodium salt
Oral	LD50	>15,600 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)
. Primary i	rritant offoc	*-

#### Primary irritant effect:

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

#### · 12.1 Toxicity

#### Aquatic toxicity:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2%

#### aromatics

EC50 >1,000 mg/l (daphnia)

LC50 (96 h) >1,000 mg/l (Oncorhynchus mykiss)

• 12.2 Persistence and degradability No further relevant information available.

- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

· Recommendation Smaller quantities can be disposed of with household waste.

(Contd. on page 7)

— GB -



Page 7/8 Printing date 06.01.2022 Revision: 05.01.2022 Version number 27

(Contd. of page 6)

### Trade name: Metal Polish

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information		
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
<ul> <li>· 14.2 UN proper shipping name</li> <li>· ADR, ADN, IMDG, IATA</li> </ul>	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
<ul> <li>· 14.4 Packing group</li> <li>· ADR, IMDG, IATA</li> </ul>	Void	
<ul> <li>· 14.5 Environmental hazards:</li> <li>· Marine pollutant:</li> </ul>	No	
· 14.6 Special precautions for user	Not applicable.	
<ul> <li>14.7 Transport in bulk according to Annex II Marpol and the IBC Code</li> </ul>	of Not applicable.	
· UN "Model Regulation":	Void	

#### **SECTION 15: Regulatory information**

#### · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

• Named dangerous substances - ANNEX I None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H304 May be fatal if swallowed and enters airways. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

 Department issuing SDS: Dursol-Fabrik Otto Durst GmbH & Co. KG Martinstraße 22 42655 Solingen



Page 8/8

Printing date 06.01.2022 Revision: 05.01.2022 Version number 27

#### **Trade name: Metal Polish**

(Contd. of page 7) Germany Abteilung F&E / Produktsicherheit · Contact: labor@autosol.de · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 • \* Data compared to the previous version altered. - GB —