

Cover sheet for the safety data sheet

Product identification:

Trade name	X
Intended use	X
UFI	X
Item number	X

Supplier submitting the safety data sheet:

Supplier: TELL's Power AG
Bahnhofweg 2 + 4
CH-6405 Immensee

Phone: 041 850 77 44

E-Mail : info@tellspower.ch

National emergency number: 145 (available 24 hours, Tox Info Suisse, Zurich;
for calls from Switzerland, information in
German, French and Italian)

Information for users concerning:

Section 1 For commercial users only

Section 13 Do not dispose of completely empty packaging together with household waste. Packaging must be sent for recycling. Treat product residues and non-emptied packaging as hazardous waste. Residues may pose an explosion hazard. Do not perforate uncleaned containers, cut or weld uncleaned containers. Dispose of hazardous waste in accordance with Directive 91/689/EEC at an authorized disposal site, indicating a waste code number in accordance with Decision 2000/532/EC. Disposal should be carried out in accordance with regional, national and local laws and regulations. Local regulations may be stricter than regional or national requirements and must be observed. Switzerland: Dispose of completely empty packaging with municipal waste. Return partially emptied containers to the point of sale or hand them over to a collection point for special waste.

Section 15 This product may only be supplied to professional users

safety data sheet
 according to 1907/2006/EG, article 31

Print date: 02/10/2022

Version number 7 (replaces version 6)

revised on: 02/10/2022

SECTION 1: Identification of the substance or mixture and the company

1.1 Product identifier

Trade name: Epifanes Seapower Wash-n-Wax Boat Soap UFI: 0UA0-C0E2-T00R-118F 1.2 Relevant identified uses of the substance or mixture and

Uses advised against

Sector of use

SU22 Commercial uses: Public sector (administration, education, entertainment, services, crafts)

SU21 Consumer Uses: Private households / general public / consumers

Product category

PC35 Laundry and cleaning products (including products on solvent based)

PC31 polishes and wax blends

Process category PROC0 Cotton cloth or sponge

Environmental Release Category

ERC10a Widespread use of low release articles (outside)

Application of the substance / the mixture See our

technical data sheet for the application of this product. soap

1.3 Details of the supplier of the safety data sheet - Manufacturer/Supplier: W.Heeren & Zoon bv.

PO box 166

1430 AD Aalsmeer

Netherlands

phone +31 297-360366

email: info@epifanes.nl - Informing

department: Research & Development.

1.4 Emergency number:

The Poison Centers; Telephone emergency call and information: information center against poisoning; Tel.: +49 (0) 228 19240 (emergency)

Tel.: +49 (0) 228-287 33480 (Secretariat)

Fax: +49 (0) 228 287-33278 Email:

info@giftzentrale-bonn.de www.ukbonn.de

Center for Pediatrics Clinic and Polyclinic for

General Paediatrics University Hospital Bonn

Adenauerallee 119 53113 Bonn

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture -

Classification according to Regulation (EC) No. 1272/2008



GHS05 Corrosion

(continued on page 2)

safety data sheet
 according to 1907/2006/EG, article 31

Print date: 02/10/2022

Version number 7 (replaces version 6)

revised on: 02/10/2022

Trade name: Epifanes Seapower Wash-n-Wax Boat Soap

(continued from page 1)

Eye Dam. 1 H318 Causes serious eye damage.

- 2.2 Label elements • Labeling according to Regulation (EC) No. 1272/2008

The product is classified and labeled according to the CLP regulation.

- Hazard pictograms



GHS05

- Signal word Danger

Hazard-determining components of labelling:

Triethanolammonium lauryl sulfate 40% in water

N,N-bis(2-hydroxyethyl)dodecanamide

- Hazard statements

H318 Causes serious eye damage.

- Precautionary statements P102

P262

Keep out of the reach of children.

Do not get in eyes, on skin, or on clothing.

P301+P310

IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

- 2.3 Other hazards • Results of

PBT and vPvB assessment • PBT: Not applicable.

- vPvB: Not applicable.





SECTION 3: Composition/information on ingredients

- 3.2 Mixtures

- Description:

Mixture of substances listed below with harmless additions.

- Hazardous ingredients:

CAS: 139-96-8 EINECS: 205-388-7	Triethanolammonium lauryl sulfate 40% in water Eye Dam. 1,  H318 Acute Tox. 4, H302; skin irritation 2, H315 Aquatic Chronic 3, H412 N,N-bis(2-hydroxyethyl)dodecanamide	ȳ3-<10%
CAS: 120-40-1 EINECS: 204-393-1	 Eye Dam. 1, H318  Aquatic Chronic 2, H411 Acute  Tox. 4, H302; skin irritation 2, H315	ȳ1-<2.5%

- Additional information:

The wording of the listed risk phrases can be found in section 16.

EN

(continued on page 3)

safety data sheet
 according to 1907/2006/EG, article 31

Page: 3/10

Print date: 02/10/2022

Version number 7 (replaces version 6)

revised on: 02/10/2022

Trade name: Epifanes Seapower Wash-n-Wax Boat Soap

(continued from page 2)

SECTION 4: First aid measures

4.1 Description of first aid measures General information:

Remove contaminated clothing immediately.

- After inhalation: Supply fresh air, consult doctor in case of complaints.
- After skin contact: Wash off immediately with water.

After eye contact:

Rinse eyes under running water for several minutes with eyelids open and consult a doctor.

- After swallowing: Consult a doctor if symptoms persist.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing

media - Suitable extinguishing agents Adapt fire extinguishing measures to the environment.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.

- 5.3 Advice for firefighters - Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and in emergencies applicable procedures

wear protective gear. Keep unprotected people away.

6.2 Environmental protection measures:

Dilute with plenty of water.

Do not allow to enter drains/surface water/ground water.

6.3 Methods and material for containment and cleaning up:

Pick up with absorbent material (sand, kieselguhr, acid binder, universal binder, sawdust).

Use neutralizing agent.

Dispose of contaminated material as waste according to Section 13.

- 6.4 Reference to other sections No dangerous

substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protective equipment.

Information on disposal, see section 13.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling 1

(continued on page 4)

safety data sheet
 according to 1907/2006/EG, article 31

Print date: 02/10/2022

Version number 7 (replaces version 6)

revised on: 02/10/2022

Trade name: Epifanes Seapower Wash-n-Wax Boat Soap

(continued from page 3)

- Information about protection against explosions and fires: No special measures required.
 - 7.2 Conditions for safe storage, including any incompatibilities · Storage: · Requirements to be met by storerooms and containers: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - Further information about storage conditions: Keep container tightly closed.
 - Classification according to the Ordinance on Industrial Safety and Health (BetrSichV): - - 7.3
- Specific end uses
 No further relevant information available.

SECTION 8: Exposure controls/personal protective equipment

8.1 Parameters to be monitored Components

with workplace-related limit values to be monitored:

The product does not contain any relevant quantities of substances with workplace-related limit values that require monitoring.

The product does not contain any relevant quantities of substances with workplace-related limit values that require monitoring.

· DNEL (Derived No Effect Level) for professionals

120-40-1 N,N-bis(2-hydroxyethyl)dodecanamide Long term -

dermal	systemic effects. 8.33 mg/kg/day (employee)
Inhalative Long term - systemic effects.	73.4 mg/m ³ (employees)

· DNEL (Derived No Effect Level) for the general public 120-40-1 N,N-Bis(2-

hydroxyethyl)dodecanamide Oral Long term systemic effects.

dermal	Long-term - systemic effects. 5 mg/kg bw/day (general population)	6.25 mg/kg bw/day (general population)
Inhalation Long term - systemic effects.	21.73 mg/m ³ (general population)	

· PNEC values

120-40-1 N,N-bis(2-hydroxyethyl)dodecanamide aquarium

compartment.	0.007 mg/l (fresh water)
Aquarium compartment.	0.001 mg/l (salt water)
STP	830 mg/l (Segmentation, Targeting and Positioning) 0.053 mg/kg (fresh water)
floor	0.006 mg/kg (soil) 0.005 mg/kg (salt water)
floor	
sediment	

- Additional information: The lists valid during the making were used as basis.

(continued on page 5)

safety data sheet
according to 1907/2006/EG, article 31

Print date: 02/10/2022

Version number 7 (replaces version 6)

revised on: 02/10/2022

Trade name: Epifanes Seapower Wash-n-Wax Boat Soap

(continued from page 4)

· 8.2 Exposure controls · Appropriate technical controls No further information, see Section 7.

· Individual protective measures, such as personal protective equipment · General protective and hygienic measures: Keep away from food, drink and animal feed.

Take off dirty, soaked clothes immediately.
 Wash hands before breaks and at the end of work.

Avoid contact with eyes.

Avoid contact with eyes and skin.

· Respiratory protection Not required.

· Handguard



protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to a lack of tests, no recommendation on the glove material for the product / the preparation / the chemical mixture can be given.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· Material of gloves

The selection of a suitable glove depends not only on the material, but also on other quality features and varies from manufacturer to manufacturer. Since the product is a mixture of several substances, the resistance of the glove materials cannot be calculated in advance and must therefore be checked before use.

· Penetration time of glove material The exact break through time can be found out from the manufacturer of the protective gloves and has to be observed.

· For continuous contact of a maximum of 15 minutes, gloves are made of the following

Materials suitable:

butyl rubber

· Eye/face protection



Tight fitting goggles

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties · General information · Physical state · Color

· Odor:

Odor threshold:

Fluid

According to the product description

Characteristic

Not determined.

(continued on page 6)

safety data sheet

according to 1907/2006/EG, article 31

Print date: 02/10/2022

Version number 7 (replaces version 6)

revised on: 02/10/2022

Trade name: Epifanes Seapower Wash-n-Wax Boat Soap

(continued from page 5)

Melting point/freezing point:	Not determined.
- Boiling point or initial boiling point and boiling range	100°C
- Flammability	Not applicable.
- Lower and upper explosive limits	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	100°C
Decomposition temperature: pH value:	Not determined.
Viscosity:	Blend is non-polar/aprotic.
- Kinematic viscosity	Not determined.
Dynamic at 20 °C:	0 mPas
- Solubility	
- Water:	Fully miscible.
partition coefficient n-octanol/ water (log value)	Not determined.
Vapor pressure at 20 °C:	23 hPa
- Density and/or specific gravity	
- Density at 20 °C:	1.01 g/cc
- Relative density	Not determined.
- Vapor Density	Not determined.

- 9.2 Other information	
- Look:	
- Shape:	Fluid
- Important health and safety information environmental protection and safety	
- Ignition temperature	The product is not self-igniting.
- Explosive properties:	The product is not explosive.
solvent content:	
- Water:	93.5%
- VOCs	0.00%
	VOC:
	0.0g/L / 0.00lb/gal
- State change	
- Evaporation rate	Not determined.

- Details of physical hazard classes	
- Explosive substances/mixtures and products containing explosives	omitted
- Flammable gases	omitted
- Aerosols	omitted
- Oxidizing gases	omitted
- Gases under pressure	omitted
- Flammable liquids	omitted
- Flammable solids	omitted
- Self-reactive substances and mixtures are not applicable	
- Pyrophoric liquids	omitted

(continued on page 7)

safety data sheet
 according to 1907/2006/EG, article 31

Print date: 02/10/2022

Version number 7 (replaces version 6)

revised on: 02/10/2022

Trade name: Epifanes Seapower Wash-n-Wax Boat Soap

(continued from page 6)

- | | |
|--|----------------|
| · Pyrophoric solids | omitted |
| · Self-heating substances and mixtures | omitted |
| · Substances and mixtures which, in contact with water, emit flammable gases | Not applicable |
| · Oxidizing liquids | omitted |
| · Oxidizing solids | omitted |
| · Organic peroxides | omitted |
| · Corrosive to metals substances and mixtures | omitted |
| · Desensitized substances/mixtures and products containing explosives | omitted |

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability - Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on hazard classes according to Regulation (EC) No. 1272/2008 - Acute toxicity

Based on the available data, the classification criteria are not met.

LD/LC50 values relevant for classification: 139-96-8

triethanolammonium lauryl sulfate 40% in water Oral LD50 >2,000 mg/kg bw (rat)

- Skin corrosion/irritation Based on the available data, the classification criteria are not met.
- Serious eye damage/irritation Causes serious eye damage.
- Respiratory or skin sensitization Based on the available data, the classification criteria are not met.
- Germ cell mutagenicity Based on the available data, the classification criteria are not met.
- Carcinogenicity Based on the available data, the classification criteria are not met.
- Reproductive toxicity Based on the available data, the classification criteria are not met.
- Specific target organ toxicity - single exposure Based on the available data, the classification criteria are not met.

(continued on page 8)

safety data sheet

according to 1907/2006/EG, article 31

Print date: 02/10/2022

Version number 7 (replaces version 6)

revised on: 02/10/2022

Trade name: Epifanes Seapower Wash-n-Wax Boat Soap

(continued from page 7)

- Specific target organ toxicity - repeated exposure
Based on the available data, the classification criteria are not met.
- Aspiration hazard
Based on the available data, the classification criteria are not met.
- 11.2 Information on other hazards - Endocrine disruptive

properties

None of the ingredients are included.

SECTION 12: Ecological information

- 12.1 Toxicity - Aquatic
toxicity: No further relevant information available.
- 12.2 Persistence and degradability
No further relevant information available.
- 12.3 Bioaccumulative potential
No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment - PBT: Not applicable. - vPvB: Not applicable.
- 12.6 Endocrine disruptive properties The product does not contain any substances with endocrine disruptive properties.
- 12.7 Other adverse effects Additional ecological information: General notes:

Water hazard class 1 (self-assessment): slightly hazardous to water.

Must not be discharged undiluted or unneutralized into waste water or drainage ditch reach.

SECTION 13: Disposal considerations**13.1 Waste treatment methods Recommendation:**

Must not be disposed together with household garbage. Do not empty into drains.

- European waste catalogue

08 00 00 WASTE FROM MANUFACTURE, PREPARATION, DISTRIBUTION AND USE

(MCVA) OF COATINGS (PAINTS, COATINGS, ENAMEL), ADHESIVES, SEALANTS AND INKS

08 01 00 wastes from MFSU and removal of paint and varnish

08 01 11* waste paint and varnish containing organic solvents or other contain dangerous substances

- Uncleaned packaging: -

Recommendation: Disposal must be made according to official regulations.

(continued on page 9)

safety data sheet
 according to 1907/2006/EG, article 31

Print date: 02/10/2022

Version number 7 (replaces version 6)

revised on: 02/10/2022

Trade name: Epifanes Seapower Wash-n-Wax Boat Soap

(continued from page 8)

Recommended cleaning agent:
 Water, if necessary with the addition of cleaning agents.

SECTION 14: Transport information

· 14.1 UN number or ID number ADR, ADN, IMDG, IATA	omitted
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	omitted
· 14.3 Transport hazard classes ADR, ADN, IMDG, IATA · Class	omitted
· 14.4 Packing group ADR, IMDG, IATA	omitted
14.5 Environmental hazards: Marine pollutants:	no
· 14.6 Special precautions for the user	Not applicable.
· 14.7 Bulk Carriage on the Sea route according to IMO instruments	Not applicable.
UN "Model Regulation":	omitted

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/specific
Legislation for the substance or mixture
- Directive 2012/18/EU
- Named dangerous substances - APPENDIX I
None of the ingredients are included.
- REGULATION (EC) No. 1907/2006 ANNEX XVII Conditions of restriction: 3

- Directive 2011/65/EU on the restriction of the use of certain dangerous
Substances in electrical and electronic equipment - Annex II
None of the ingredients are included.

REGULATION (EU) 2019/1148

- Appendix I - RESTRICTED EXPLOSIVES PRECURSORS (Upper
Concentration limit for an Article 5(3) permit)
None of the ingredients are included.

- Appendix II - REPORTABLE EXPLOSIVES PRECURSORS
None of the ingredients are included.

(continued on page 10)

safety data sheet
 according to 1907/2006/EG, article 31

Print date: 02/10/2022

Version number 7 (replaces version 6)

revised on: 02/10/2022

Trade name: Epifanes Seapower Wash-n-Wax Boat Soap

(continued from page 9)

- Regulation (EC) No. 273/2004 on drug precursors

None of the ingredients are included.

**- Regulation (EC) No. 111/2005 laying down rules for the
 Monitoring of trade in drug substitutes between the Community and third countries**

None of the ingredients are included.

National regulations:

- Water hazard class: Water hazard class 1 (self-assessment): slightly hazardous for water.

15.2 Chemical safety assessment:

A chemical safety assessment has not been carried out.

SECTION 16: Other information The

information is based on the current state of our knowledge, but it does not represent a guarantee of product properties and does not constitute a contractual legal relationship.

- Relevant phrases H302

Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

- Department issuing data sheet: Research & Development.

Contact person: JJ van Dijk, tel: +31 297 360678, email: rend@epifanes.nl Date of previous version: 09.02.2022

Version number of previous version: 6 Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organization ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labeling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

GefStoffV: Ordinance on Hazardous Substances, Germany

VOC: Volatile Organic Compounds (US, EU)

DNEL: Derived No Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent LD50: Lethal

dose, 50 percent PBT: Persistent, Bioaccumulative and

Toxic vPvB: very Persistent and very Bioaccumulative Acute

Tox. 4: Acute Toxicity - Category 4 Skin Irrit. 2: Skin irritation/

corrosion - Category 2 Eye Dam. 1: Serious eye damage/eye irritation

- Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term

aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-

term aquatic hazard - Category 3

- * Data changed compared to the previous version