

COVERAGE FOR SWITZERLAND

SECTION 1 DESIGNATION OF THE MIXTURE AND THE COMPANY

1.1 Product identifier

| Product name | : STAR BRITE MARINE POLISH |
|--------------|----------------------------|
| Item number | : 80116 |
| UFI | 7AV4-D7SW-6009-PP9D |

1.2 Uses of the mixture

SU21 Consumer product, Boat and ship maintenance

1.3 Details about the supplier

Supplier : TELL's Power AG Bahnhofweg 2 + 4 CH-6405 Immensee

Phone : 041 850 77 44

E-Mail : <u>info@tellspower.ch</u>

Website : www.tellspower.ch

1.4 Emergency number

EMERGENCY PHONE TOX Center: **145** (24 hrs.)



SAFETY DATA SHEET

*

*

According to Regulation (EU) No 453/2010

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

| Product name | : | STAR BRITE MARINE POLISH |
|--------------|---|--------------------------|
| Product code | : | 80116 |

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU21 Consumer product. PC0 Other. Boat maintenance.

1.3. Details of the supplier of the safety data sheet

| Supplier | : | Star Brite Europe Inc. 29 Rue des Tourrais 69290 Craponne, France |
|---------------------------------------|---|---|
| Telephone Fax E-mail Website | : | +33-472-570 133 +33-472-570 493 jp.kitzinger@starbrite-europe.com www.starbrite-europe.com |

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only: Telephone : 144, 118, 117

EMERGENCY TELEPHONE NUMBER (for DOCTORS only): National Poisons Information Service 145

SECTION 2 HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

| : Skin irritation, category 2. Specific target organ toxicity after single exposure, category 3. Hazardous to the aquatic environment — Chronic category 3. |
|---|
| Causes skin irritation. May cause drowsiness or dizziness. Contains petroleum distillates, may be harmful when ingested. Not classified as dangerous according to statutory EC-Directives. Harmful to aquatic life with long lasting effects. Keep out of the reach of children. |
| |
| |
| : Warning |
| H315 Causes skin irritation. H336 May cause drowsiness or dizziness. H412 Harmful to aquatic life with long lasting effects. P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P261 vapour Avoid breathing vapours. P271 Use only outdoors or in a well-ventilated area. |
| E |

(24/7)



*

*

| | P280 gloves P312 P403+P233 P405 | Wear protective gloves. Call a POISON CENTER/doctor if you feel unwell. Store in a well-ventilated place. Keep container tightly closed. Store locked up. |
|----------------------|--|--|
| | P273 P501 | Avoid release to the environment. Dispose of contents/container to an official chemical waste depot. |
| Additional labelling | Contains: Keros | ine (petroleum) ; Distillates (petroleum), hydrotreated light . |
| 2.3. Other hazards | | |
| Other information : | Does not contair | n PBT or vPvB substances in concentrations higher than 0,1%. |

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

| Substance name | | CAS nr. | EC number | Remark | REACH nr. |
|---------------------------------------|-----------|------------|-----------|--------|-----------|
| | (w/w) (%) | | | | |
| C.I. Pigment Blue 29 | 0,1 - < 1 | 57455-37-5 | 611-533-9 | MAC | |
| Distillates (petroleum), hydrotreated | 5 - < 10 | 64742-47-8 | 265-149-8 | | |
| light | | | | | |
| Diatomaceous earth (containing less | 10 - < 20 | 61790-53-2 | 612-383-7 | MAC | |
| than 1% quartz) | | | | | |
| Kerosine (petroleum) | 10 - < 20 | 8008-20-6 | 232-366-4 | | |

Occupational exposure limit(s), if relevant, are listed in section 8.

| Substance name | Hazard Class | H-phrases | Pictograms |
|---------------------------------------|--------------------------|-------------------|---------------|
| C.I. Pigment Blue 29 | | | |
| Distillates (petroleum), hydrotreated | Asp. Tox. 1; Skin Irrit. | H304; H315; H336; | GHS07; GHS08; |
| light | 2; STOT SE 3; Aquatic | H411 | GHS09 |
| | Chronic 2 | | |
| Diatomaceous earth (containing less | | | |
| than 1% quartz) | | | |
| Kerosine (petroleum) | Flam. Liq. 3; Asp. Tox. | H226; H304; H315; | GHS02; GHS07; |
| | 1; Skin Irrit. 2; STOT | H336; H411 | GHS08; GHS09 |
| | SE 3; Aquatic Chronic | | |
| | 2 | | |

Reference is made to chapter 16 for full text of each relevant H phrase.

SECTION 4 FIRST-AID MEASURES

4.1. Description of first aid measures

| First aid measures | |
|--------------------|---|
| Inhalation | : Move victim into fresh air. Consult a doctor if victim feels unwell. |
| Skin contact | : Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up. Consult a doctor if irritation persists. |
| Eye contact | : Wash out with (lukewarm) water for at least 15 minutes. Remove contact lenses. Consult a doctor if irritation persists. |
| Ingestion | : Do not induce vomiting. Give nothing to drink. Do rinse the mouth. Never give anything by mouth to an unconscious person. Consult a doctor immediately. |





4.2. Most important symptoms and effects, both acute and delayed

| Effects and symptoms | |
|----------------------|---|
| Inhalation | : May cause headache, drowsiness, dizziness and a feeling of sickness. |
| Skin contact | : Irritant. May cause redness. |
| Eye contact | : May cause stinging of eyes and redness. |
| Ingestion | : May cause a feeling of sickness, vomiting and diarrhoea. May cause lung damage, sore throat and lack of breath. |

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

SECTION 5 FIRE-FIGHTING MEASURES

5.1. Extinguishing media

| Extinguishing media | |
|---------------------|---|
| Suitable | : Carbondioxide (CO2). Foam. Dry chemical. Water fog. |
| Not suitable | : Water jet. |

5.2. Special hazards arising from the substance or mixture

| Special exposure hazards | : None known. |
|--------------------------|---|
| Hazardous thermal | : Carbon monoxide may be evolved if incomplete combustion occurs. |
| decomposition products | |

5.3. Advice for firefighters

Special protective : Use adequate respiratory equipment in case of insufficient ventilation. equipment for fire-fighters

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material. Keep away from sources of ignition — No smoking. Vapours are heavier than air. Build up (of gasses) in low areas involves risk of suffocation.

6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills: contain with dike. Waste product should not be allowed to contaminate soil or water.
 Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Absorb residues in sand or other inert material. Dispose at an authorised waste collection point. Wash away remainder with plenty of water and soap.

6.4. Reference to other sections

Reference to other sections : See also section 8.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling



| Handling | : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Electrostatic discharge may cause fire. Ensure electrical continuity by bonding and grounding (earthing) all equipment. Do not breathe vapour. Avoid contact with skin and eyes. |
|--------------------|---|
| 7.2. Conditions fo | r safe storage, including any incompatibilities |
| Storage | : Keep frost-free, in a cool, dry and well-ventilated place (< 35 °C). Keep away from oxidizing agents. |

| Storage | : Keep frost-free, in a cool, dry and well-ventilated place (< 35 °C). Keep away from oxidizing agents. Protect from sunlight. |
|---|--|
| Recommended packaging Non recommended packaging | Keep only in the original container.Steel (except stainless steel). PE and PP. |

7.3. Specific end use(s)

Use : Use only as directed.

| SECTION 8 | EXPOSURE CONTROLS/PERSONAL PROTECTION | * |
|------------------|---------------------------------------|---|
| | | |

8.1. Control parameters

Occupational exposure : Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m³):

| Chemical name | Country | TWA 8 hour | STEL 15 min | Comments |
|---------------------------------------|---------|------------|-------------|-----------------|
| | | (mg/m3) | (mg/m3) | |
| C.I. Pigment Blue 29 | GB | 10 | | Inhalable dust |
| Distillates (petroleum), hydrotreated | | 1200 | - | CEFIC-HSPA |
| light | | | | |
| Diatomaceous earth (containing less | GB | 1,2 | - | Respirable dust |
| than 1% quartz) | | | | |
| Kerosine (petroleum) | | 575 | - | CEFIC-HSPA |

8.2. Exposure controls

| Engineering measures | : Use only in well-ventilated areas. Comply with standard precautionary measures for working with |
|----------------------|---|
| | chemicals. |
| | |

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.

| Body protection | : Use of specific protective industrial clothing is not required for momentary use. Wear suitable protective clothing, overalls or suit, and similar boots in accordance with EN 365/367 resp. 345 in case of frequent or prolonged use and in case of large scale exposure. Suitable material: nitril. Indication of permeation breakthrough time: 6 hours. |
|------------------------|--|
| Respiratory protection | : Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140. |
| Hand protection | : Wear appropriate safety gloves in accordance with EN 374. Suitable material: nitril. ± 0,5 mm. Indication of permeation breakthrough time: 6 hours. |
| Eye protection | : Wear appropriate safety glasses when there is danger of possible eye contact. |

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance : Liquid.

Product name

Date of issue

: Star brite Marine Polish : 26-10-2015

Replaces issue dated



| Solubility in water Partition coefficient | Grey. Characteristic. Not known. 9.5 Soluble. Not known. | |
|--|---|---|
| (n-octanol/water) Flash point | : 58 °C | Tag Closed Cup (ASTM D56). Does not support combustion. |
| Flammability (solid, gas) | : Not applicable. | Liquid. See flashpoint. |
| J J J J J J J J J J J J J J J J J J J | : > 250 °C | |
| 5 5 5 5 5 | : > 100 °C | |
| Melting point/melting range | | |
| Explosive properties | : None known. | Does not contain explosives. |
| Explosion limits (in air) | : Not known. | Lower explosion limit in air (%): 0.6 (Distillates (petroleum), hydrotreated light) |
| | : | Upper explosion limit in air (%): 7 |
| Oxidising properties | : Not applicable. | Does not contain oxidizing substances. |
| Decomposition temperature | : Not applicable. | |
| | : 3000 – 10000 mm2/sec | (1 mm2/sec = 1cSt) |
| Viscosity (40°C) | : > 20,5 mm2/sec | |
| Vapour pressure (20°C) | : Not known. | |
| Vapour density (20°C) | : >1 | (air = 1) |
| Relative density (20°C) | : 1 g/ml | |
| Evaporation rate | : Not known. | (n-butyl acetate = 1) |

SECTION 10 STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity : See sub-sections below.

10.2. Chemical stability

Stability : Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactivity : No other hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid : See section 7.

10.5. Incompatible materials

Materials to avoid : Keep away from oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition : Not known. products

SECTION 11 TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

No toxicological research has been carried out on this product. Inhalation



| | toxicity | : Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: 14 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met. May cause damage to organs. Target organ(s): Central nervous system. Effect(s): Breathing of high vapour concentrations may cause central nervous system (CNS) depression resulting in dizziness, lightheadedness, headache, nausea and loss of coordination. Continued inhalation may result in unconsciousness and death. |
|-------------|----------------------------|--|
| | sion/irritation isation | Not classified - based on available data, the classification criteria are not met. Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met. |
| Carcin | ogenicity | : Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met. |
| Mutag | enicity | : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met. |
| Skin contac | t | |
| Acute | toxicity | : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: 2 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met. |
| Corros | sion/irritation | : Irritant. May cause redness. |
| Sensit | isation | : Does not contain skin sensitisers. Not classified - based on available data, the classification criteria are not met. |
| Mutag | enicity | : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met. |
| Eye contact | t | |
| Corros | sion/irritation | : Slight irritation possible. Not classified - based on available data, the classification criteria are not met. |
| Ingestion | | |
| | toxicity | : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met. After ingestion, at vomiting, risk of aspiration in the lungs. |
| Aspira | tion | : Not classified - based on available data, the classification criteria are not met. Viscous emulsion. Contains a substance/substances with an aspiration hazard. Emulsion may break after ingestion. If swallowed, if any of the following delayed signs and symptoms appear within the next 6 hours, transport to the nearest medical facility: fever greater than 38.3° C, shortness of breath, chest congestion or continued coughing or wheezing. |
| Corros | sion/irritation | : May cause a feeling of sickness, stomachache, vomiting and diarrhoea. Not classified - based on available data, the classification criteria are not met. |
| Carcin | ogenicity | : Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met. |
| Mutag | enicity | : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met. |

Toxicological information:

| Chemical name | Property | | Method | Test animal |
|---------------------------------------|----------------------------|-----------------|-------------|------------------------|
| Distillates (petroleum), hydrotreated | Skin sensitisation - | Not sensitizing | Read across | Guinea pig |
| light | estimate | | | |
| | NOAEL (oral) - | 750 mg/kg bw/d | Read across | Rat |
| | estimate | | | |
| | Eye irritation - estimate | Non-irritant | Read across | Rabbit |
| | Skin irritation - estimate | Irritant | Read across | Rabbit |
| | Genotoxicity - estimate | Not genotoxic | Read across | Mouse |
| | Mutagenicity - estimate | Negative | Read across | Salmonella typhimurium |
| | LD50 (oral) - estimate | > 5000 mg/kg bw | Read across | Rat |
| | LD50 (dermal) - | > 2000 mg/kg bw | Read across | Rabbit |
| | estimate | | | |
| | LC50 (inhalation) - | > 5000 mg/m3 | Read across | Rat |
| | estimate | | | |



| 1 | NOAEL (fertility) - | 1500 mg/kg.d | Read across | Rat |
|----------------------|-------------------------|------------------|-------------|------------------------|
| | estimate | 5 5 5 | | |
| | NOAEL (development) | 1000 mg/kg.d | Read across | Rat |
| | - estimate | | | |
| | NOEL (carcinogenicity) | Not carcinogenic | Read across | |
| | - estimate | | | |
| | NOAEL (inhalation) - | > 1000 mg/m3 | Read across | Mouse |
| | estimate | | | |
| Kerosine (petroleum) | LD50 (oral) | > 5000 mg/kg bw | | Rat |
| | Skin sensitisation | Not sensitizing | OECD 406 | Guinea pig |
| | Genotoxicity - in vitro | Not genotoxic | OECD 476 | |
| | Mutagenicity | Negative | OECD 471 | Salmonella typhimurium |
| | Skin irritation | Irritant | OECD 404 | Rabbit |
| | LD50 (dermal) | > 2000 mg/kg bw | OECD 402 | Rat |
| | LC50 (inhalation) | > 5280 mg/m3 | OECD 403 | Rat |
| | Eye irritation | Non-irritant | | Rabbit |
| | NOAEL (oral) | 750 mg/kg bw/d | | Rat |
| | NOAEL (inhalation) | > 1000 mg/m3 | OECD 413 | Rat |
| | NOAEL (dermal) | > 0,5 mg/kg bw/d | OECD 410 | Rat |
| | Genotoxicity - in vivo | Not genotoxic | OECD 475 | Rat |
| | NOAEL (fertility, oral) | > 494 mg/kg bw/d | OECD 421 | Rat |
| | NOAEL (development, | 1000 mg/kg bw/d | OECD 414 | Rat |
| | oral) | | | |

SECTION 12 ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity

No ecotoxicological research has been carried out on this product.

: Calculated LC50 (fish): 5 mg/l. Calculated EC50 (waterflea): Contains < 1 % of components with unknown hazards to the aquatic environment. Harmful to aquatic life with long lasting effects. May form an oil film on the water surface causing a decline in oxygen content with possible adverse effects for aquatic organisms.

12.2. Persistence and degradability

Persistence – degradability : May cause long-term adverse effects in the aquatic environment. The surfactants contained in this preparation do not comply with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents. This product shall not be used in cleaners.

12.3. Bioaccumulative potential

| Bioaccumulative potential | : | Contains bioaccumulating substances. |
|---------------------------|---|--------------------------------------|
|---------------------------|---|--------------------------------------|

12.4. Mobility in soil

Mobility : If product enters soil, it will be highly mobile and may contaminate groundwater.

12.5. Results of PBT and vPvB ass

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

12.6. Other adverse effects

Other information : Not applicable.

Ecological information:

| Chemical name | Property | | Method | Test animal |
|---------------------------------------|--------------------|--------|-------------|-------------|
| Distillates (petroleum), hydrotreated | Ultimate aerobic | 58,6 % | Read across | |
| light | biodegradation (%) | | | |



| | NOEC (waterflea) - chronic | 0,48 mg/l.d | OECD 211 | Daphnia magna |
|----------------------|--------------------------------|--------------|----------|-----------------------------------|
| | LC50 (fish) - estimate | > 2 mg/l | OECD 203 | Oncorhynchus mykiss |
| | EC50 (waterflea) - estimate | 1,4 mg/l | OECD 202 | Daphnia magna |
| | NOEC (waterflea) - acute | 0,3 mg/l | OECD 202 | Daphnia magna |
| | IC50 (algea) - estimate | > 1 mg/l | | Pseudokirchnerella subcapitata |
| | NOEC (fish) - estimate | 0,098 mg/l.d | | Oncorhynchus kisutch |
| | NOEC (fish) | 2 mg/l | | Oncorhynchus mykiss |
| | Log P(ow) | > 6 | | |
| | BCF | 537 | | |
| Kerosine (petroleum) | LC50 (fish) | > 1 mg/l | | |
| | IC50 (algea) | > 1 mg/l | | |
| | EC50 (waterflea) | 1,4 mg/l | OECD 202 | |
| | NOEC (waterflea) - | 0,3 mg/l | OECD 202 | Daphnia magna |
| | acute | | | |
| | NOEC (waterflea) - | 0,48 mg/l.d | OECD 211 | Daphnia magna |
| | chronic | | | |

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

| Product residues | : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues and non-empty pack as hazardous waste. |
|--------------------------|--|
| Additional warning | : Residues may cause an explosion hazard. Do not puncture, cut or weld uncleaned drums. |
| European waste catalogue | : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot. |
| Local legislation | : Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with. |

SECTION 14 TRANSPORT INFORMATION

14.1. UN number

UN nr. : None.

14.2. UN proper shipping name

Transport name : Not regulated.

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

| ADR/RID/ADN (road/railw Class | ray/inland waterways) : This product is not classified according to ADR/RID/ADN. |
|---|---|
| IMDG (sea) Class Marine pollutant | : This product is not classified according to IMDG. : No |
| IATA (air) Class | : This product is not classified according to IATA. |

14.6. Special precautions for user

Other information : Country specific variations may apply.



*

*

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Marpol

Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

| Community regulations | : Regulation (EC) No 453/2010 (REACH), Regulation (EC) No 1272/2008 (CLP) and other |
|-----------------------|---|
| | regulations. : This product is exempted from classification as "May be fatal if swallowed and enters airways" on |
| | basis of section 3.10.3.3.1.1. of Annex I of Regulation (EC) No 1272/2008. |

15.2. Chemical safety assessment

| Chemical safety | : | Not applicable. |
|-----------------|---|-----------------|
| assessment | | |

SECTION 16 OTHER INFORMATION

16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EC) No 453/2010 dated 20 May 2010 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (*).

Full text of H-phrases mentioned in section 3:

| H226 | Flammable liquid and vapour. |
|------|--|
| H304 | May be fatal if swallowed and enters airways. |
| H315 | Causes skin irritation. |
| H336 | May cause drowsiness or dizziness. |
| H411 | Toxic to aquatic life with long lasting effects. |

Full text of hazard classes mentioned in section 3:

| Flam. Liq. 3 | : | Flammable liquid, hazard category 3. |
|-------------------|---|---|
| Skin Irrit. 2 | : | Skin irritation, category 2. |
| STOT SE 3 | : | Specific target organ toxicity after single exposure, category 3. |
| Asp. Tox. 1 | : | Aspiration hazard, category 1. |
| Aquatic Chronic 2 | : | Hazardous to the aquatic environment — Chronic category 2. |

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

| a actorying that could be (but not necessarily are) used in this safety data sheet. |
|---|
| : European Agreement concerning the International Carriage of Dangerous Goods by Road |
| : Acute Toxicity Estimate |
| : Classification, Labeling & Packaging |
| : Carcinogenic, Mutagenic or toxic for Reproduction |
| : European Economic Community |
| : International Air Transport Association |
| : International Bulk Chemical Code |
| : International Maritime Dangerous Goods Code |
| : Lethal Dose/Concentration for 50% of a population |
| : Maximum Allowable Concentration |
| : International Convention for the Prevention of Pollution From Ships |
| : No Observed (Adverse) Effect Level |
| |



| OECD | : Organisation for Economic Co-operation and Development |
|---------------|--|
| PBT | : Persistent, Bioaccumulative and Toxic |
| PC | : Chemical product category |
| PT | : Product type |
| REACH | : Registration, Evaluation, Authorisation and Restriction of Chemicals |
| RID | : Regulations concerning the International Carriage of Dangerous Goods by Rail |
| STP | : Sewage Treatment Plant |
| SU | : Sector of Use |
| TWA/STEL | : Time-Weighted Average/Short Term Exposure Limit |
| UN | : United Nations |
| VOC | : Volatile Organic Compounds |
| vPvB | : Very Persistent and Very Bioaccumulative |
| Number format | : "," used as decimal separator. |

| <u>History</u> | | |
|----------------------|--------------|---|
| Date of first issue | : 21-12-2009 | |
| Date of second issue | : 22-08-2012 | |
| Date of third issue | : 26-10-2015 | Herewith all previous issues are expired. |