

COVERAGE FOR SWITZERLAND

SECTION 1	DESIGNATION OF THE MIXTURE AND THE COMPANY
------------------	---

1.1 Product identifier

Product name : Teak Cleaner
Item number : 81432
UFI : XAH8-G74A-800J-6X59

1.2 Uses of the mixture

SU21 Consumer product, Boat and ship maintenance

1.3 Details about the supplier

Supplier : TELL's Power AG
Bahnhofweg 2 + 4
CH-6405 Immensee

Phone : 041 850 77 44
E-Mail : info@tellspower.ch
Website : www.tellspower.ch

1.4 Emergency number

EMERGENCY PHONE TOX Center: **145** (24 hrs.)

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING *

1.1. Product identifier

Product name : STAR BRITE TEAK CLEANER
Product code : 81432

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU21 Consumer product. PC35 Cleaning agent. Wood maintenance.

1.3. Details of the supplier of the safety data sheet

Supplier : Star Brite Europe Inc.
86 bis route de Brignais
69630 Chaponost, France
Telephone : +33-478-56-77-80
Fax : +33-472-39-97-96
E-mail : jp.kitzinger@starbrite-europe.com
Website : www.starbrite.com

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:

Telephone : 144, 118, 117

EMERGENCY TELEPHONE: 145

(24/7)

SECTION 2 HAZARDS IDENTIFICATION *

2.1. Classification of the substance or mixture

CLP classification (1272/2008/EC) : Corrosive to metals, hazard category 1. Skin irritation, category 2. Eye irritation, category 2. Hazardous to the aquatic environment — Chronic category 3.

Human health hazards : Causes skin irritation. Causes serious eye irritation.

Physical/chemical hazards : May be corrosive to metals.

Environmental hazards : Harmful to aquatic life with long lasting effects.

2.2. Label elements

Label elements (1272/2008/EC):

Hazard pictograms :



Signal word : Warning

H- and P-phrases :

H290	May be corrosive to metals.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P280 hands eyes	Wear protective gloves and eye protection.

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P234	Keep only in original container.
P273	Avoid release to the environment.
P390	Absorb spillage to prevent material damage.
P501	Dispose of contents/container to an official chemical waste depot.

Additional labelling

Ingredient declaration according to Regulation 648/2004:

Contains:	Concentration (%)
Anionic surfactants , Non-ionic surfactants , Chlorine-based bleaching agents	< 5

2.3. Other hazards

Other information : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS *
--

3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

Substance name	Concentration (w/w) (%)	CAS nr.	EC number	Remark	REACH nr.
Alcohols, C9-11, ethoxylated	1 - < 3	68439-46-3	614-482-0		
Sodium hydroxide	0,5 - < 2	1310-73-2	215-185-5		
Sodium hypochlorite	0,25 - < 1	7681-52-9	231-668-3		
Sodium chloride	0,1 - < 1	7647-14-5	231-598-3	MAC	

Occupational exposure limit(s), if relevant, are listed in section 8.

Substance name	Hazard Class	H-phrases	Pictograms	
Alcohols, C9-11, ethoxylated	Acute Tox. 4; Eye Dam. 1	H302; H318	GHS05; GHS07	
Sodium hydroxide	Skin Corr. 1A; Eye Dam. 1; Met. Corr. 1	H290; H314; H318	GHS05	H314 A : C ≥ 5 % H319 : C ≥ 0.5 % H315 : C ≥ 0.5 % H318 : C ≥ 2 % H314 B : C ≥ 2 %
Sodium hypochlorite	Skin Corr. 1B; Eye Dam. 1; STOT SE 3; Aquatic Acute 1; Aquatic Chronic 1	H314; H318; H335; H400; H410; H290; EUH031	GHS05; GHS07; GHS09	M (acute) = 10 M (chronic) = 1 H290 : C ≥ 5 % EUH031 : C ≥ 5 %
Sodium chloride	-----	-----	-----	

Reference is made to chapter 16 for full text of each relevant H phrase.

SECTION 4 FIRST-AID MEASURES *
--

4.1. Description of first aid measures

First aid measures

- Inhalation : Move victim into fresh air. Consult a doctor if victim feels unwell.
- Skin contact : Take off contaminated clothing. Wash off skin with plenty of water before product dries up. Consult a doctor if irritation persists.
- Eye contact : Wash out with (lukewarm) water for at least 15 minutes. Remove contact lenses. Consult a doctor.

Ingestion : Do not induce vomiting. Rinse the mouth, give 1 glass of water at most. Do not give milk. Never give anything by mouth to an unconscious person. Consult a doctor immediately.

4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

Inhalation : May cause sore throat and coughing.
Skin contact : Irritant. May cause dry skin and redness.
Eye contact : Irritant. May cause redness and pain.
Ingestion : May cause a feeling of sickness, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

SECTION 5 FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

Suitable : Foam. Dry chemical. Water fog.
Not suitable : Carbondioxide (CO2).

5.2. Special hazards arising from the substance or mixture

Special exposure hazards : Reacts violently with flammable and reducing agents with risk of explosions. Water may be used to cool containers. Heating causes oxygen release, intensifying the fire.
Hazardous thermal decomposition products : Generates toxic (phosgene) and corrosive vapours (hydrochloric acid) in case of combustion. Carbon monoxide may be evolved if incomplete combustion occurs.

5.3. Advice for firefighters

Special protective equipment for fire-fighters : Use adequate respiratory equipment in case of insufficient ventilation.

SECTION 6 ACCIDENTAL RELEASE MEASURES

*

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material.

6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills: contain with dike. Waste product should not be allowed to contaminate soil or water.
Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Carefully neutralise residues with acid. Absorb residues in sand or other inert material. Do not use saw-dust. Dispose at an authorised waste collection point. Wash away remainder with plenty of water.

6.4. Reference to other sections

Reference to other sections : See also section 8.

SECTION 7 HANDLING AND STORAGE

*

7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Avoid contact with skin and eyes. Avoid splashing. Wear protective clothing.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep frost-free, in a cool, dry and well-ventilated place (< 35 °C).
 Recommended packaging : Keep only in the original container.
 Non recommended packaging : Steel and aluminium.

7.3. Specific end use(s)

Use : Use only as directed. Do not mix with other products.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION *

8.1. Control parameters

Occupational exposure limits : Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m³):

Chemical name	Country	TWA 8 hour (mg/m ³)	STEL 15 min (mg/m ³)	Comments
Sodium hydroxide	GB	-	2	-
Sodium chloride		10	-	Dow chemical, Industrial Hygiene Guidelines

Derived no-effect level (DNEL) for workers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
Sodium hydroxide	Inhalation			1 mg/m ³	
Sodium hypochlorite	Inhalation	1,55 mg/m ³	3,1 mg/m ³		1,55 mg/m ³
Sodium chloride	Dermal		295,52 mg/kg bw		295,52 mg/kg bw/day
	Inhalation		2068,62 mg/m ³		2068,62 mg/m ³

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
Sodium hydroxide	Inhalation			1 mg/m ³	
Sodium hypochlorite	Inhalation		3,1 mg/m ³		1,55 mg/m ³
	Oral				0,26 mg/kg bw/day
Sodium chloride	Dermal		126,65 mg/kg bw		126,65 mg/kg bw/day
	Inhalation		443,28 mg/m ³		443,28 mg/m ³
	Oral		126,65 mg/kg bw		126,65 mg/kg bw/day

Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
Sodium hypochlorite	Water	0,00021 mg/l	0,000042 mg/l	
	Intermittent water			0,00026 mg/l

Sodium chloride	STP	5 mg/l	0,03 mg/l
	Oral		11,1 mg/kg food
	Water		
	Intermittent water		19 mg/l
	STP		500 mg/l
	Soil		4,86 mg/kg

8.2. Exposure controls

Engineering measures : Use only in well-ventilated areas. Comply with standard precautionary measures for working with chemicals.

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.

Body protection : Use of specific protective industrial clothing is not required for momentary use. Wear suitable protective clothing, overalls or suit, and similar boots in accordance with EN 365/367 resp. 345 in case of frequent or prolonged use and in case of large scale exposure. Suitable material: neoprene. Indication of permeation breakthrough time: 6 hours.

Respiratory protection : Take care of sufficient ventilation.

Hand protection : Wear appropriate safety gloves in accordance with EN 374. Suitable material: neoprene. ± 0,5 mm. Indication of permeation breakthrough time: 6 hours.

Eye protection : Wear appropriate safety glasses with side shields, in accordance with EN 166.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

*

9.1. Information on basic physical and chemical properties

Appearance	: Liquid.	
Colour	: Colourless.	
Odour	: Characteristic.	
Odour threshold	: Not known.	
pH	: 12,5	
Alkali reserve (g NaOH/100 ml)	: 0,7	
Solubility in water	: Soluble.	
Partition coefficient (n-octanol/water)	: Not applicable.	Contains surfactants. The O/W system emulsifies.
Flash point	: > 100 °C	Closed Cup (ISO 2719, EN 11, DIN 51758, ASTM D 93)
Flammability (solid, gas)	: Not applicable.	Liquid. See flashpoint.
Auto ignition temperature	: > 429 °C	
Boiling point/boiling range	: 100 °C	
Melting point/melting range	: 0 °C	
Explosive properties	: None known.	Does not contain explosives.
Explosion limits (% in air)	: Not known.	
Oxidising properties	: Slightly oxidizing.	
Decomposition temperature	: Not applicable.	
Viscosity (20°C)	: Not known.	
Viscosity (40°C)	: Not relevant.	The product contains < 10% substances having an aspiration hazard.
Vapour pressure (20°C)	: 2300 Pa	
Vapour density (20°C)	: Not relevant.	The solvent content of this product is less than 1%.
Relative density (20°C)	: 1,02 g/ml	
Evaporation rate	: Not known.	(n-butyl acetate = 1)

SECTION 10 STABILITY AND REACTIVITY

*

10.1. Reactivity

Reactivity : See sub-sections below.

10.2. Chemical stability

Stability : Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactivity : Reacts vigorously in contact with acids. Strong heat development possible.

10.4. Conditions to avoid

Conditions to avoid : See section 7.

10.5. Incompatible materials

Materials to avoid : Keep away from acids.

10.6. Hazardous decomposition products

Hazardous decomposition products : May include and are not limited to: HCl-gas and chlorine vapours.

SECTION 11 TOXICOLOGICAL INFORMATION

*

11.1. Information on toxicological effects

No toxicological research has been carried out on this product.

Inhalation

- Acute toxicity : Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: 4 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met. No specific effects and/or symptoms are known.
- Corrosion/irritation : May cause sore throat and coughing. Not classified - based on available data, the classification criteria are not met.
- Sensitisation : Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.
- Carcinogenicity : Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.

Skin contact

- Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : Irritant. May cause redness. Prolonged contact may dry out and defat the skin.
- Sensitisation : Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.

Eye contact

- Corrosion/irritation : Irritant.

Ingestion

- Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Aspiration : Not classified - based on available data, the classification criteria are not met. Does not contain substances with an aspiration hazard.
- Corrosion/irritation : May cause a feeling of sickness, vomiting and diarrhoea.
- Carcinogenicity : Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.

- Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
- Reprotoxicity : Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not classified - based on available data, the classification criteria are not met.

Toxicological information:

Chemical name	Property		Method	Test animal
Alcohols, C9-11, ethoxylated	LD50 (oral)	> 500 mg/kg bw	----	Rat
	NOEL (carcinogenicity) - estimate	Not carcinogenic	Read across	----
	Mutagenicity - estimate	Not mutagenic	Read across	----
	Genotoxicity - estimate	Not genotoxic	Read across	----
	NOAEL (development) - estimate	Not teratogenic	Read across	----
	NOAEL (fertility) - estimate	Not reprotoxic	Read across	----
	NOAEL (oral) - estimate	400 mg/kg bw/d	Read across	Rat
	LD50 (dermal)	> 2000 mg/kg bw		Rat
Sodium hydroxide	Skin sensitisation	Not sensitizing		
	Skin sensitisation - estimate	Not sensitizing		
	LD50 (oral) - estimate	> 2000 mg/kg bw		
	Skin irritation	Corrosive.		
	Eye irritation	Corrosive.		

SECTION 12 ECOLOGICAL INFORMATION

*

12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity : Harmful to aquatic organisms. Calculated LC50 (fish): 206 mg/l. Calculated EC50 (waterflea): 17 mg/l. Contains < 1 % of components with unknown hazards to the aquatic environment.

12.2. Persistence and degradability

Persistence – degradability : May cause long-term adverse effects in the aquatic environment. The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents.

12.3. Bioaccumulative potential

Bioaccumulative potential : No specific information known.

12.4. Mobility in soil

Mobility : If product enters soil, it will be highly mobile and may contaminate groundwater.

12.5. Results of PBT and vPvB ass

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

12.6. Other adverse effects

Other information : Not applicable.

Ecological information:

Chemical name	Property		Method	Test animal
Sodium hypochlorite	EC50 (waterflea)	0,141 mg/l	OECD 202	Daphnia magna
	LC50 (fish)	2,1 mg/l		

NOEC (waterflea) - acute	0,05 mg/l	OECD 202	Daphnia magna
--------------------------	-----------	----------	---------------

SECTION 13 DISPOSAL CONSIDERATIONS *

13.1. Waste treatment methods

- Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues and non-empty pack as hazardous waste.
- Additional warning : None.
- European waste catalogue : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.
- Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

SECTION 14 TRANSPORT INFORMATION *

14.1. UN number

UN nr. : UN 1760

14.2. UN proper shipping name

Transport name : CORROSIVE LIQUID, N.O.S. (Sodium hydroxide ; Sodium hypochlorite)
 Transport name (IMDG, IATA) : CORROSIVE LIQUID, N.O.S. (Sodium hydroxide ; Sodium hypochlorite)

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

Class : 8
 Classification code : C9
 Packaging group : III
 Danger label : 8



Other information : Not intended for carriage by tank-vessels on inland waterways.

IMDG (sea)

Class : 8
 Packaging group : III
 EmS (fire / spill) : F - A / S - B
 Marine pollutant : No

IATA (air)

Class : 8

14.6. Special precautions for user

Other information : Country specific variations may apply. It is possible that a "Limited Quantity" exemption applies to the transport of this product.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

SECTION 15 REGULATORY INFORMATION *

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EC) No 453/2010 (REACH), Regulation (EC) No 1272/2008 (CLP) and other regulations.
: This product is exempted from classification as “Corrosive” on basis of section 3.2.3.1.2. of Annex I of Regulation EC No. 1272/2008.

15.2. Chemical safety assessment

Chemical safety assessment : Not applicable.

SECTION 16 OTHER INFORMATION *

16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EC) No 453/2010 dated 20 May 2010 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user’s obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (*).

Full text of H-phrases mentioned in section 3:

- H290 : May be corrosive to metals.
- H302 : Harmful if swallowed.
- H314 : Causes severe skin burns and eye damage.
- H318 : Causes serious eye damage.
- H335 : May cause respiratory irritation.
- H400 : Very toxic to aquatic life.
- H410 : Very toxic to aquatic life with long lasting effects.
- EUH031 : Contact with acids liberates toxic gas.

Full text of hazard classes mentioned in section 3:

- Acute Tox. 4 : Acute toxicity, category 4.
- Skin Corr. 1A/B/C : Skin corrosive, category 1A/B/C.
- Eye Dam. 1 : Serious eye damage, category 1.
- STOT SE 3 : Specific target organ toxicity after single exposure, category 3.
- Aquatic Chronic 1 : Hazardous to the aquatic environment — Chronic category 1.
- Aquatic Acute 1 : Hazardous to the aquatic environment — Acute category 1.
- Met. Corr. 1 : Corrosive to metals, hazard category 1.

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

- ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road
- ATE : Acute Toxicity Estimate
- CLP : Classification, Labeling & Packaging
- CMR : Carcinogenic, Mutagenic or toxic for Reproduction
- EEC : European Economic Community
- IATA : International Air Transport Association
- IBC code : International Bulk Chemical Code
- IMDG : International Maritime Dangerous Goods Code
- LD50/LC50 : Lethal Dose/Concentration for 50% of a population

MAC	: Maximum Allowable Concentration
MARPOL	: International Convention for the Prevention of Pollution From Ships
NO(A)EL	: No Observed (Adverse) Effect Level
OECD	: Organisation for Economic Co-operation and Development
PBT	: Persistent, Bioaccumulative and Toxic
PC	: Chemical product category
PT	: Product type
REACH	: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	: Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	: Sewage Treatment Plant
SU	: Sector of Use
TWA/STEL	: Time-Weighted Average/Short Term Exposure Limit
UN	: United Nations
VOC	: Volatile Organic Compounds
vPvB	: Very Persistent and Very Bioaccumulative
Number format	: "," used as decimal separator.

End of safety data sheet.