

## COVERAGE FOR SWITZERLAND

<b>SECTION 1</b>	<b>DESIGNATION OF THE MIXTURE AND THE COMPANY</b>
------------------	---

### 1.1 Product identifier

Product name : DECK CLEANER  
Item number : 85900  
UFI : 5WVN-W720-R00Q-Q6SJ

### 1.2 Uses of the mixture

SU21 Consumer product, Boat and ship maintenance

### 1.3 Details about the supplier

Supplier : TELL's Power AG  
Bahnhofweg 2 + 4  
CH-6405 Immensee

Phone : 041 850 77 44  
E-Mail : [info@tellspower.ch](mailto:info@tellspower.ch)  
Website : [www.tellspower.ch](http://www.tellspower.ch)

### 1.4 Emergency number

EMERGENCY PHONE TOX Center: **145** (24 hrs.)

**SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

1.1. Product identifier

Product name : STAR BRITE NON-SKID DECK CLEANER  
Product code : 85900.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU21 Consumer product. PC35 Cleaning agent. PC0 Other. Boat maintenance.

1.3. Details of the supplier of the safety data sheet

Supplier : Star Brite Europe Inc.  
86 bis route de Brignais  
69630 Chaponost, France  
Telephone : +33-478-56-77-80  
Fax : +33-472-39-97-96  
E-mail : jp.kitzinger@starbrite-europe.com  
Website : www.starbrite.com

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:

Telephone : 144, 118, 117

EMERGENCY TELEPHONE NUMBER (for DOCTORS only):

National Poisons Information Service 145 (24/7)

**SECTION 2 HAZARDS IDENTIFICATION**

\*

2.1. Classification of the substance or mixture

CLP classification : Serious eye damage, category 1.  
(1272/2008/EC)

Human health hazards : Causes serious eye damage.  
Physical/chemical hazards : Not classified as dangerous according to statutory EC-Directives. Combustible.  
Environmental hazards : Not classified as dangerous according to statutory EC-Directives.  
Other information : Do not breathe spray. Use only in well-ventilated areas.

2.2. Label elements

Label elements (1272/2008/EC):

Hazard pictograms :



Signal word : Danger

H- and P-phrases : H318 Causes serious eye damage.  
P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P280 eyes Wear eye protection/face protection.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.

Labelling of packagings where the contents do not exceed 125 ml:

Hazard pictograms :



Signal word : Danger

H- and P-phrases :

H318	Causes serious eye damage.
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P280 eyes	Wear eye protection/face protection.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

Additional labelling (for all packaging sizes)

: Contains: Alcohols, C9-11, ethoxylated ; Tetrasodium ethylene diamine tetraacetate .

Ingredient declaration according to Regulation 648/2004:

Contains:	Concentration (%)
Non-ionic surfactants	5 - 15
Anionic surfactants , EDTA and salts thereof	< 5
Perfumes, d-Limonene.	

### 2.3. Other hazards

Other information : Does not contain PBT or vPvB substances.

## SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

### 3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

Substance name	Concentration (w/w) (%)	CAS nr.	EC number	Remark	REACH nr.
Alcohols, C9-11, ethoxylated	3 - < 10	68439-46-3	614-482-0		
Tetrasodium ethylene diamine tetraacetate	3 - < 10	64-02-8	200-573-9		
(2-Methoxymethylethoxy)propanol	1 - < 5	34590-94-8	252-104-2	MAC	
Propan-2-ol	1 - < 5	67-63-0	200-661-7		
2,2',2''-Nitrilotriethanol	0,1 - < 1	102-71-6	203-049-8	MAC	
Sodium hydroxide	0,1 - < 0,5	1310-73-2	215-185-5		

Substance name	Hazard Class	H-phrases	Pictograms
Alcohols, C9-11, ethoxylated	Acute Tox. 4; Eye Dam. 1	H302; H318	GHS05; GHS07
Tetrasodium ethylene diamine tetraacetate	Acute Tox. 4; Eye Dam. 1; STOT RE 2	H302; H332; H318; H373	GHS05; GHS07; GHS08
(2-Methoxymethylethoxy)propanol	-----	-----	-----
Propan-2-ol	Flam. Liq. 2; Eye Irrit. 2; STOT SE 3	H225; H319; H336	GHS02; GHS07
2,2',2''-Nitrilotriethanol	-----	-----	-----

Sodium hydroxide	Skin Corr. 1A; Eye Dam. 1; Met. Corr. 1	H290; H314; H318	GHS05	H314 A : C ≥ 5 % H319 : C ≥ 0.5 % H315 : C ≥ 0.5 % H318 : C ≥ 2 % H314 B : C ≥ 2 %
------------------	---	------------------	-------	--

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

## SECTION 4 FIRST-AID MEASURES

### 4.1. Description of first aid measures

First aid measures

- Inhalation : Move victim into fresh air. Consult a doctor if victim feels unwell.
- Skin contact : Take off contaminated clothing. Wash off skin with plenty of water before product dries up. Consult a doctor if irritation persists.
- Eye contact : Wash out with (lukewarm) water for at least 15 minutes. Remove contact lenses. Consult a doctor immediately.
- Ingestion : Do not induce vomiting. Rinse the mouth, give 1 glass of water at most. Do not give milk. Never give anything by mouth to an unconscious person. Consult a doctor immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

- Inhalation : May cause headache, dizziness and a feeling of sickness. May cause irritation to respiratory airways and coughing.
- Skin contact : May cause dry skin.
- Eye contact : Strongly irritant. Irreversible effects on the eye/serious damage to eyes. May cause redness and severe pain.
- Ingestion : May cause a feeling of sickness, vomiting and diarrhoea.

### 4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

## SECTION 5 FIRE-FIGHTING MEASURES

### 5.1. Extinguishing media

Extinguishing media

- Suitable : Carbondioxide (CO2). Foam. Dry chemical. Water fog.
- Not suitable : None known.

### 5.2. Special hazards arising from the substance or mixture

- Special exposure hazards : None known.
- Hazardous thermal decomposition products : Carbon monoxide may be evolved if incomplete combustion occurs.

### 5.3. Advice for firefighters

Special protective equipment for fire-fighters : Use adequate respiratory equipment in case of insufficient ventilation.

## SECTION 6 ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material.

**6.2. Environmental precautions**

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills: contain with dike.  
Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

**6.3. Methods and material for containment and cleaning up**

Methods for cleaning up : Collect spilled material in containers. Carefully neutralise residues with acid. Absorb residues in sand or other inert material. Dispose at an authorised waste collection point. Wash away remainder with plenty of water.

**6.4. Reference to other sections**

Reference to other sections : See also section 8.

**SECTION 7 HANDLING AND STORAGE** \*

**7.1. Precautions for safe handling**

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Keep away from sources of ignition — No smoking. Do not breathe spray. Do not breathe vapour. Avoid contact with skin and eyes. Avoid splashing. Wear protective clothing.

**7.2. Conditions for safe storage, including any incompatibilities**

Storage : Keep frost-free, in a cool, dry and well-ventilated place (< 35 °C). Keep away from oxidizing agents.  
Recommended packaging : Keep only in the original container.  
Non recommended packaging : Steel (except stainless steel). PET and PETG.

**7.3. Specific end use(s)**

Use : Use only as directed. Do not mix with other products.

**SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1. Control parameters**

Occupational exposure limits : Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m³):

Chemical name	Country	TWA 8 hour (mg/m3)	STEL 15 min (mg/m3)	Comments
(2-Methoxymethylethoxy)propanol	GB	308	-	Skin
(2-Methoxymethylethoxy)propanol	EC	308	-	Skin
Propan-2-ol	GB	999	1250	-
2,2',2"-Nitrilotriethanol		5	10	-
Sodium hydroxide	GB	-	2	-

Derived no-effect level (DNEL) for workers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect

Tetrasodium ethylene diamine tetraacetate	Inhalation	2,5 mg/m3	2,5 mg/m3		
(2-Methoxymethylethoxy)propanol	Dermal				65 mg/kg bw/day
Propan-2-ol	Inhalation				310 mg/m3
	Dermal				888 mg/kg bw/day
2,2',2''-Nitrilotriethanol	Inhalation				500 mg/m3
	Dermal				6,3 mg/kg bw/day
Sodium hydroxide	Inhalation			5 mg/m3	5 mg/m3
	Inhalation			1 mg/m3	

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
Tetrasodium ethylene diamine tetraacetate	Inhalation	1,5 mg/m3	1,5 mg/m3		
(2-Methoxymethylethoxy)propanol	Oral				25 mg/kg bw/day
	Dermal				15 mg/kg bw/day
	Inhalation				37,2 mg/m3
Propan-2-ol	Oral				1,67 mg/kg bw/day
	Dermal				319 mg/kg bw/day
	Inhalation				89 mg/m3
2,2',2''-Nitrilotriethanol	Oral				26 mg/kg bw/day
	Dermal				3,1 mg/kg bw/day
	Inhalation			1,25 mg/m3	1,25 mg/m3
	Oral				13 mg/kg bw/day
Sodium hydroxide	Inhalation			1 mg/m3	

Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
Tetrasodium ethylene diamine tetraacetate	Water	2,2 mg/l	0,22 mg/l	
	Intermittent water			1,2 mg/l
	STP			43 mg/l
	Soil			0,72 mg/kg
(2-Methoxymethylethoxy)propanol	Water	19 mg/l	1,9 mg/l	
	Sediment	70,2 mg/kg	7,02 mg/kg	
	Intermittent water			190 mg/l
	STP			4168 mg/l
	Soil			2,74 mg/kg
Propan-2-ol	Water	140,9 mg/l	140,9 mg/l	
	Sediment	552 mg/kg	552 mg/kg	
	Intermittent water			140,9 mg/l
	STP			2251 mg/l
	Soil			28 mg/kg
	Oral			160 mg/kg food
2,2',2''-Nitrilotriethanol	Water	0,32 mg/l	0,032 mg/l	
	Sediment	1,7 mg/kg	0,17 mg/kg	
	Intermittent water			5,12 mg/l
	STP			10 mg/l
	Soil			0,151 mg/kg

**8.2. Exposure controls**

Engineering measures : Use only in well-ventilated areas. Comply with standard precautionary measures for working with chemicals.

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.



- Body protection : Use of specific protective industrial clothing is not required under normal conditions of use.
- Respiratory protection : Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140.
- Hand protection : Under normal conditions of use specific gloves are not required. Wear appropriate gloves in case of frequent or prolonged use and in case of large scale exposure. Suitable material: neoprene. ± 0,5 mm. Indication of permeation breakthrough time: 6 hours.
- Eye protection : Wear appropriate safety glasses with side shields, in accordance with EN 166.

<b>SECTION 9</b>	<b>PHYSICAL AND CHEMICAL PROPERTIES</b>	*
------------------	---	---

**9.1. Information on basic physical and chemical properties**

- Appearance : Liquid.
- Colour : Green.
- Odour : Perfumed.
- Odour threshold : Not known.
- pH : 12
- Alkali reserve (g NaOH/100 ml) : 0,2
- Corrosion rate on metals (55°C) : < 6,25 mm per year.
- Solubility in water : Soluble.
- Partition coefficient (n-octanol/water) : Not applicable. Contains surfactants. The O/W system emulsifies.
- Flash point : > 60 °C
- Flammability (solid, gas) : Not applicable. Liquid. See flashpoint.
- Auto ignition temperature : > 207 °C
- Boiling point/boiling range : 100 °C
- Melting point/melting range : 0
- Explosive properties : None known. Does not contain explosives.
- Explosion limits (% in air) : Not known. Lower explosion limit in air (%): 1,1 ( (2-Methoxymethylethoxy)propanol )  
Upper explosion limit in air (%): 14
- Oxidising properties : Not applicable. Does not contain oxidizing substances.
- Decomposition temperature : Not applicable.
- Viscosity (20°C) : Not known.
- Viscosity (40°C) : Not relevant. The product contains < 10% substances having an aspiration hazard.
- Vapour pressure (20°C) : Not known.
- Vapour density (20°C) : > 1 (air = 1)
- Relative density (20°C) : 1,02 g/ml
- Evaporation rate : Not known. (n-butyl acetate = 1)

<b>SECTION 10</b>	<b>STABILITY AND REACTIVITY</b>
-------------------	---------------------------------

**10.1. Reactivity**

- Reactivity : See sub-sections below.

**10.2. Chemical stability**

Stability : Stable under normal conditions.

**10.3. Possibility of hazardous reactions**

Reactivity : Reacts vigorously in contact with acids. Strong heat development possible.

**10.4. Conditions to avoid**

Conditions to avoid : See section 7.

**10.5. Incompatible materials**

Materials to avoid : Keep away from acids. Keep away from oxidizing agents.

**10.6. Hazardous decomposition products**

Hazardous decomposition products : Not known.

**SECTION 11 TOXICOLOGICAL INFORMATION** \*

**11.1. Information on toxicological effects**

No toxicological research has been carried out on this product.

**Inhalation**

- Acute toxicity : Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: < 1 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met. May cause headache, dizziness and a feeling of sickness.
- Corrosion/irritation : May cause irritation to respiratory airways and coughing. Not classified - based on available data, the classification criteria are not met.
- Sensitisation : Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.
- Carcinogenicity : Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.

**Skin contact**

- Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : Prolonged contact may dry out and defat the skin. Not classified - based on available data, the classification criteria are not met.
- Sensitisation : Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.

**Eye contact**

- Corrosion/irritation : Risk of serious damage to eyes.

**Ingestion**

- Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Aspiration : Not expected to be an aspiration hazard. Contains a substance/substances with an aspiration hazard. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : May cause a feeling of sickness, vomiting and diarrhoea.
- Carcinogenicity : Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.
- Reprotoxicity : Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not classified - based on available data, the classification criteria are not met.



Toxicological information:

Chemical name	Property		Method	Test animal
Alcohols, C9-11, ethoxylated	Skin irritation	Mildly irritant		
	LC50 (inhalation) - estimate	> 5000 mg/m3	Read across	----
	Skin sensitisation	Not sensitizing		
	LD50 (dermal)	> 2000 mg/kg bw		Rat
	NOAEL (oral) - estimate	400 mg/kg bw/d	Read across	Rat
	NOAEL (fertility) - estimate	Not reprotoxic	Read across	----
	NOAEL (development) - estimate	Not teratogenic	Read across	----
	Genotoxicity - estimate	Not genotoxic	Read across	----
	Mutagenicity - estimate	Not mutagenic	Read across	----
	NOEL (carcinogenicity) - estimate	Not carcinogenic	Read across	----
Tetrasodium ethylene diamine tetraacetate	Eye irritation	Severely irritant		
	LD50 (oral)	> 500 mg/kg bw	----	Rat
	NOAEL (inhalation) - estimate	3 mg/m3	Read across	Rat
	LC50 (inhalation) - estimate	1500 mg/m3	Read across	Rat
	NOAEL (oral) - estimate	565 mg/kg bw/d	Read across	Rat
	Genotoxicity - estimate	Not genotoxic		
	LD50 (oral)	1780 mg/kg bw	----	Rat
	NOAEL (development, oral)	> 1374 mg/kg bw/d		Rat
	Mutagenicity - estimate	Negative	OECD 471	Salmonella typhimurium
	NOEL (carcinogenicity) - estimate	> 500 mg/kg.d		Rat
NOAEL (fertility) - estimate	> 250 mg/kg.d	Read across	Rat	
Skin sensitisation	Not sensitizing	----	Guinea pig	
Eye irritation	Irritant	OECD 405	Rabbit	
Skin irritation	Slightly irritant	OECD 404	Rabbit	

**SECTION 12 ECOLOGICAL INFORMATION**

\*

**12.1. Toxicity**

No ecotoxicological research has been carried out on this product.

Ecotoxicity : Calculated LC50 (fish): 112 mg/l. Calculated EC50 (waterflea): 41 mg/l. Contains 0 % of components with unknown hazards to the aquatic environment. Not classified - based on available data, the classification criteria are not met.

**12.2. Persistence and degradability**

Persistence – degradability : No specific information known. The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents.

**12.3. Bioaccumulative potential**

Bioaccumulative potential : No specific information known.

**12.4. Mobility in soil**

Mobility : If product enters soil, it will be highly mobile and may contaminate groundwater.

### 12.5. Results of PBT and vPvB ass

PBT/vPvB assessment : Does not contain PBT or vPvB substances.

### 12.6. Other adverse effects

Other information : Not applicable.

## SECTION 13 DISPOSAL CONSIDERATIONS \*

### 13.1. Waste treatment methods

Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues and non-empty pack as hazardous waste.

Additional warning : None.

Waste water discharge : Do not dispose into the environment, in drains or in water courses.

European waste catalogue : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.

Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

## SECTION 14 TRANSPORT INFORMATION \*

### 14.1. UN number

UN nr. : None.

### 14.2. UN proper shipping name

Transport name : Not regulated.

### 14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

Class : This product is not classified according to ADR/RID/ADN.

IMDG (sea)

Class : This product is not classified according to IMDG.

Marine pollutant : No

IATA (air)

Class : This product is not classified according to IATA.

### 14.6. Special precautions for user

Other information : Country specific variations may apply.

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

## SECTION 15 REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EU) No 2015/830 (REACH), Regulation (EC) No 1272/2008 (CLP) and other regulations.

: This product is exempted from classification as “Corrosive” despite section 3.2.3.1.2. of Annex I of Regulation EC No. 1272/2008. Tiered weight of evidence strategy.

**15.2. Chemical safety assessment**

Chemical safety assessment : Not applicable.

<b>SECTION 16</b>	<b>OTHER INFORMATION</b>	*
-------------------	--------------------------	---

**16.1. Other information**

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2015/830 dated 28 May 2015 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user’s obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (\*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

- ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road
- ATE : Acute Toxicity Estimate
- CLP : Classification, Labeling & Packaging
- CMR : Carcinogenic, Mutagenic or toxic for Reproduction
- EEC : European Economic Community
- GHS : Globally Harmonized System of Classification and Labelling of Chemicals
- IATA : International Air Transport Association
- IBC code : International Bulk Chemical Code
- IMDG : International Maritime Dangerous Goods Code
- LD50/LC50 : Lethal Dose/Concentration for 50% of a population
- MAC : Maximum Allowable Concentration
- MARPOL : International Convention for the Prevention of Pollution From Ships
- NO(A)EL : No Observed (Adverse) Effect Level
- OECD : Organisation for Economic Co-operation and Development
- PBT : Persistent, Bioaccumulative and Toxic
- PC : Chemical product category
- PT : Product type
- REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals
- RID : Regulations concerning the International Carriage of Dangerous Goods by Rail
- STP : Sewage Treatment Plant
- SU : Sector of Use
- TWA/STEL : Time-Weighted Average/Short Term Exposure Limit
- UN : United Nations
- VOC : Volatile Organic Compounds
- vPvB : Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

- Eye Dam. 1 : Expert judgement

Full text of hazard classes mentioned in section 3:

- Flam. Liq. 2 : Flammable liquid, category 2.
- Acute Tox. 4 : Acute toxicity, category 4.
- Skin Corr. 1A/B/C : Skin corrosive, category 1A/B/C.
- Eye Dam. 1 : Serious eye damage, category 1.
- Eye Irrit. 2 : Eye irritation, category 2.
- STOT SE 3 : Specific target organ toxicity after single exposure, category 3.
- STOT RE 2 : Specific target organ toxicity — repeated exposure, category 2.

Met. Corr. 1 : Corrosive to metals, hazard category 1.

Full text of H-phrases mentioned in section 3:

H225	Highly flammable liquid and vapour.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs through prolonged or repeated exposure.

Number format : "," used as decimal separator.

---

End of safety data sheet.