

COVERAGE FOR SWITZERLAND

SECTION 1	DESIGNATION OF THE MIXTURE AND THE COMPANY
------------------	---

1.1 Product identifier

Product name : CLEANER WAX
Item number : 89632
UFI : NA70-S8YH-T00M-D7HA

1.2 Uses of the mixture

SU21 Consumer product, Boat and ship maintenance

1.3 Details about the supplier

Supplier : TELL's Power AG
Bahnhofweg 2 + 4
CH-6405 Immensee

Phone : 041 850 77 44
E-Mail : info@tellspower.ch
Website : www.tellspower.ch

1.4 Emergency number

EMERGENCY PHONE TOX Center: **145** (24 hrs.)

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : STAR BRITE HEAVY DUTY CLEANER WAX
Product code : 89632

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU21 Consumer product. PC35 Cleaning agent. PC0 Other. Boat maintenance.

1.3. Details of the supplier of the safety data sheet

Supplier : Star Brite Europe Inc.
29 Rue des Tourrais
69290 Craponne, France
Telephone : +33-472-570 133
Fax : +33-472-570 493
E-mail : jp.kitzinger@starbrite-europe.com
Website : www.starbrite-europe.com

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:

Telephone : 144, 118, 117

EMERGENCY TELEPHONE NUMBER (for DOCTORS only):

National Poisons Information Service 145 (24/7)

SECTION 2 HAZARDS IDENTIFICATION

*

2.1. Classification of the substance or mixture

CLP classification : Skin irritation, category 2. Hazardous to the aquatic environment — Chronic category 3.
(1272/2008/EC)

Human health hazards : Causes skin irritation. May produce an allergic reaction. Contains petroleum distillates, may be harmful when ingested.

Physical/chemical hazards : Not classified as dangerous according to statutory EC-Directives. Combustible.

Environmental hazards : Harmful to aquatic life with long lasting effects.

Other information : Keep out of the reach of children.

2.2. Label elements

Label elements (1272/2008/EC):

Hazard pictograms :



Signal word : Warning

H- and P-phrases : H315 Causes skin irritation.
H412 Harmful to aquatic life with long lasting effects.
EUH208 Contains ... May produce an allergic reaction. Reference is made to additional labelling for full text of EUH208*.
P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P280 gloves Wear protective gloves.

P273 Avoid release to the environment.
P501 Dispose of contents/container to an official chemical waste depot.

Additional labelling

: * Contains Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)
. May produce an allergic reaction.

Ingredient declaration according to Regulation 648/2004:

Contains:	Concentration (%)
Aliphatic hydrocarbons	15 - 30
Non-ionic surfactants , Aromatic hydrocarbons , Halogenated hydrocarbons	< 5
2-Bromo-2-nitropropane-1,3-diol, Methylchloroisothiazolinone, Methylisothiazolinone.	

2.3. Other hazards

Other information : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS *

3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

Substance name	Concentration (w/w) (%)	CAS nr.	EC number	Remark	REACH nr.
Kerosine (petroleum)	10 - < 20	8008-20-6	232-366-4		
Distillates (petroleum), hydrotreated light	5 - < 10	64742-47-8	265-149-8		
Diatomaceous earth (containing less than 1% quartz)	5 - < 10	61790-53-2	612-383-7	MAC	
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	< 0,0015	55965-84-9	611-341-5		

Occupational exposure limit(s), if relevant, are listed in section 8.

Substance name	Hazard Class	H-phrases	Pictograms
Kerosine (petroleum)	Flam. Liq. 3; Asp. Tox. 1; Skin Irrit. 2; STOT SE 3; Aquatic Chronic 2	H226; H304; H315; H336; H411	GHS02; GHS07; GHS08; GHS09
Distillates (petroleum), hydrotreated light	Asp. Tox. 1	H304; EUH066	GHS08
Diatomaceous earth (containing less than 1% quartz)	----	----	----

Reference is made to chapter 16 for full text of each relevant H phrase.

SECTION 4 FIRST-AID MEASURES *

4.1. Description of first aid measures

First aid measures

- Inhalation : Move victim into fresh air. Consult a doctor if victim feels unwell.
- Skin contact : Take off contaminated clothing. Wash off skin with plenty of water before product dries up. Consult a doctor if irritation occurs.
- Eye contact : Wash out with (lukewarm) water for at least 15 minutes. Remove contact lenses. Consult a doctor if irritation persists.

Ingestion : Do not induce vomiting. Give nothing to drink. Do rinse the mouth. Give condensed milk or a knob of butter. Never give anything by mouth to an unconscious person. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

Inhalation : May cause headache, dizziness and a feeling of sickness.
Skin contact : Irritant. May produce an allergic reaction. May cause dry skin and redness.
Eye contact : May cause stinging of eyes and redness.
Ingestion : May cause a feeling of sickness, vomiting and diarrhoea. May cause lung damage, sore throat and lack of breath.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

SECTION 5 FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

Suitable : Carbondioxide (CO2). Foam. Dry chemical. Water fog.
Not suitable : Water jet.

5.2. Special hazards arising from the substance or mixture

Special exposure hazards : None known.
Hazardous thermal decomposition products : Hydrogen fluoride . Fluorine . Carbon monoxide may be evolved if incomplete combustion occurs.

5.3. Advice for firefighters

Special protective equipment for fire-fighters : Use adequate respiratory equipment in case of insufficient ventilation.

SECTION 6 ACCIDENTAL RELEASE MEASURES

*

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material. Keep away from sources of ignition — No smoking. Vapours are heavier than air. Build up (of gasses) in low areas involves risk of suffocation.

6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills: contain with dike. Waste product should not be allowed to contaminate soil or water.
Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Absorb residues in sand or other inert material. Dispose at an authorised waste collection point. Wash away remainder with plenty of water.

6.4. Reference to other sections

Reference to other sections : See also section 8.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Electrostatic discharge may cause fire. Ensure electrical continuity by bonding and grounding (earthing) all equipment. Do not breathe vapour. Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep frost-free, in a cool, dry and well-ventilated place (< 35 °C). Keep away from oxidizing agents. Protect from sunlight.
 Recommended packaging : Keep only in the original container.
 Non recommended packaging : Steel (except stainless steel). PE and PP.

7.3. Specific end use(s)

Use : Use only as directed. Do not mix with other products.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION *

8.1. Control parameters

Occupational exposure limits : Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m³):

Chemical name	Country	TWA 8 hour (mg/m ³)	STEL 15 min (mg/m ³)	Comments
Kerosine (petroleum)		575	-	CEFIC-HSPA
Distillates (petroleum), hydrotreated light		1200	-	CEFIC-HSPA
Diatomaceous earth (containing less than 1% quartz)	GB	1,2	-	Respirable dust

8.2. Exposure controls

Engineering measures : Use only in well-ventilated areas. Comply with standard precautionary measures for working with chemicals.
 Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.

- Body protection : Use of specific protective industrial clothing is not required under normal conditions of use. In case of large scale exposure wear suitable protective clothing, overalls or suit, and similar boots. Suitable material: nitril. Indication of permeation breakthrough time: 6 hours.
- Respiratory protection : Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140.
- Hand protection : Wear appropriate safety gloves in accordance with EN 374. Suitable material: nitril. ± 0,5 mm. Indication of permeation breakthrough time: 6 hours.
- Eye protection : Wear appropriate safety glasses when there is danger of possible eye contact.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES *

9.1. Information on basic physical and chemical properties

Appearance	: Liquid.	
Colour	: Cream.	
Odour	: Characteristic.	
Odour threshold	: Not known.	
pH	: 7	
Solubility in water	: Soluble.	
Partition coefficient (n-octanol/water)	: Not applicable.	Contains surfactants. The O/W system emulsifies.
Flash point	: 59 °C	Does not support combustion.
Flammability (solid, gas)	: Not applicable.	Liquid. See flashpoint.
Auto ignition temperature	: > 247 °C	
Boiling point/boiling range	: 100 °C	
Melting point/melting range	: 0 °C	
Explosive properties	: None known.	Does not contain explosives.
Explosion limits (in air)	: Not known.	Lower explosion limit in air (%): 0,6 (Distillates (petroleum), hydrotreated light)
	:	Upper explosion limit in air (%): 7
Oxidising properties	: Not applicable.	Does not contain oxidizing substances.
Decomposition temperature	: Not applicable.	
Viscosity (20°C)	: 6000 mm ² /sec	(1 mm ² /sec = 1cSt)
Viscosity (40°C)	: > 20 mm ² /sec	
Vapour pressure (20°C)	: Not known.	
Vapour density (20°C)	: > 1	(air = 1)
Relative density (20°C)	: 1,012 g/ml	
Evaporation rate	: < 1	(n-butyl acetate = 1)

SECTION 10 STABILITY AND REACTIVITY	*
--	---

10.1. Reactivity

Reactivity : See sub-sections below.

10.2. Chemical stability

Stability : Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactivity : No other hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid : See section 7.

10.5. Incompatible materials

Materials to avoid : Keep away from oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition products : Not known.

SECTION 11 TOXICOLOGICAL INFORMATION	*
---	---

11.1. Information on toxicological effects

No toxicological research has been carried out on this product.
Inhalation

- Acute toxicity : Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: 14 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met. May cause headache, dizziness and a feeling of sickness.
- Corrosion/irritation : Not classified - based on available data, the classification criteria are not met.
- Sensitisation : Does not contain respiratory sensitisers. Not classified - based on available data, the classification criteria are not met.
- Carcinogenicity : Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.
- Skin contact**
- Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: 7 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : Irritant. May cause redness. Prolonged contact may dry out and defat the skin.
- Sensitisation : May produce an allergic reaction.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.
- Eye contact**
- Corrosion/irritation : Slight irritation possible. Not classified - based on available data, the classification criteria are not met.
- Ingestion**
- Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met. After ingestion, at vomiting, risk of aspiration in the lungs.
- Aspiration : Not classified - based on available data, the classification criteria are not met. Viscous emulsion. Contains substances with an aspiration hazard. Emulsion may break after ingestion. If swallowed, if any of the following delayed signs and symptoms appear within the next 6 hours, transport to the nearest medical facility: fever greater than 38.3° C, shortness of breath, chest congestion or continued coughing or wheezing.
- Corrosion/irritation : May cause a feeling of sickness, stomachache, vomiting and diarrhoea. Not classified - based on available data, the classification criteria are not met.
- Carcinogenicity : Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.
- Reprotoxicity : Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: not expected to be reprotoxic.

Toxicological information:

Chemical name	Property		Method	Test animal
Kerosine (petroleum)	LD50 (oral)	> 5000 mg/kg bw	----	Rat
	Skin sensitisation	Not sensitizing	OECD 406	Guinea pig
	Genotoxicity - in vitro	Not genotoxic	OECD 476	
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Skin irritation	Irritant	OECD 404	Rabbit
	LD50 (dermal)	> 2000 mg/kg bw	OECD 402	Rat
	LC50 (inhalation)	> 5280 mg/m3	OECD 403	Rat
	Eye irritation	Non-irritant		Rabbit
	NOAEL (oral)	750 mg/kg bw/d	----	Rat
	NOAEL (inhalation)	> 1000 mg/m3	OECD 413	Rat
	NOAEL (dermal)	> 0,5 mg/kg bw/d	OECD 410	Rat
	Genotoxicity - in vivo	Not genotoxic	OECD 475	Rat
	NOAEL (fertility, oral)	> 494 mg/kg bw/d	OECD 421	Rat
	NOAEL (development, oral)	1000 mg/kg bw/d	OECD 414	Rat

Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	NOAEL (development, oral)	2,8 mg/kg bw/d	----	Rat
	Mutagenicity	Not mutagenic	----	
	NOEL (carcinogenicity, oral)	Not carcinogenic	OECD 453	Rat
	NOEL (inhalation)	0,34 mg/m3	OECD 413	Rat
	NOAEL (dermal)	0,104 mg/kg bw/d	----	Rat
	Skin sensitisation	Sensitizing.	----	Guinea pig
	Eye irritation	Corrosive.	----	Rabbit
	Skin irritation	Corrosive.	----	Rabbit
	NOAEL (oral)	2,8 mg/kg bw/d	----	Rat
LD50 (dermal)	> 75 mg/kg bw	----	Rabbit	
LD50 (oral)	59 mg/kg bw	----	Rat	

SECTION 12 ECOLOGICAL INFORMATION *

12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity : Harmful to aquatic organisms. Calculated LC50 (fish): 6 mg/l. Calculated EC50 (waterflea): 6 mg/l. Contains 2 % of components with unknown hazards to the aquatic environment. May form an oil film on the water surface causing a decline in oxygen content with possible adverse effects for aquatic organisms.

12.2. Persistence and degradability

Persistence – degradability : May cause long-term adverse effects in the aquatic environment. The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents.

12.3. Bioaccumulative potential

Bioaccumulative potential : Contains bioaccumulating substances.

12.4. Mobility in soil

Mobility : If product enters soil, it will be highly mobile and may contaminate groundwater.

12.5. Results of PBT and vPvB ass

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

12.6. Other adverse effects

Other information : Not applicable.

Ecological information:

Chemical name	Property		Method	Test animal
Kerosine (petroleum)	LC50 (fish)	> 1 mg/l		----
	IC50 (alga)	> 1 mg/l		----
	EC50 (waterflea)	1,4 mg/l	OECD 202	----
	NOEC (waterflea) - acute	0,3 mg/l	OECD 202	Daphnia magna
	NOEC (waterflea) - chronic	0,48 mg/l.d	OECD 211	Daphnia magna

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

- Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues and non-empty pack as hazardous waste.
- Additional warning : Residues may cause an explosion hazard. Do not puncture, cut or weld uncleaned drums.
- European waste catalogue : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.
- Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

SECTION 14 TRANSPORT INFORMATION

*

14.1. UN number

UN nr. : None.

14.2. UN proper shipping name

Transport name : Not regulated.

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

Class : This product is not classified according to ADR/RID/ADN.

Other information : Not intended for carriage by tank-vessels on inland waterways.

IMDG (sea)

Class : This product is not classified according to IMDG.

Marine pollutant : No

IATA (air)

Class : This product is not classified according to IATA.

14.6. Special precautions for user

Other information : Country specific variations may apply.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

SECTION 15 REGULATORY INFORMATION

*

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Community regulations : Regulation (EC) No 453/2010 (REACH), Regulation (EC) No 1272/2008 (CLP) and other regulations.
- : This product is exempted from classification as "May be fatal if swallowed and enters airways" on basis of section 3.10.3.3.1.1. of Annex I of Regulation (EC) No 1272/2008.

15.2. Chemical safety assessment

Chemical safety assessment : Not applicable.

SECTION 16 OTHER INFORMATION

*

16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EC) No 453/2010 dated 20 May 2010 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (*).

Full text of H-phrases mentioned in section 3:

H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H331	Toxic if inhaled.
H336	May cause drowsiness or dizziness.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.

Full text of hazard classes mentioned in section 3:

Flam. Liq. 3	: Flammable liquid, hazard category 3.
Acute Tox. 3	: Acute toxicity, category 3.
Skin Corr. 1A/B/C	: Skin corrosive, category 1A/B/C.
Skin Irrit. 2	: Skin irritation, category 2.
Skin Sens. 1	: Skin sensitization, category 1.
STOT SE 3	: Specific target organ toxicity after single exposure, category 3.
Asp. Tox. 1	: Aspiration hazard, category 1.
Aquatic Chronic 1	: Hazardous to the aquatic environment — Chronic category 1.
Aquatic Chronic 2	: Hazardous to the aquatic environment — Chronic category 2.
Aquatic Acute 1	: Hazardous to the aquatic environment — Acute category 1.

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ADR	: European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	: Acute Toxicity Estimate
CLP	: Classification, Labeling & Packaging
CMR	: Carcinogenic, Mutagenic or toxic for Reproduction
EEC	: European Economic Community
IATA	: International Air Transport Association
IBC code	: International Bulk Chemical Code
IMDG	: International Maritime Dangerous Goods Code
LD50/LC50	: Lethal Dose/Concentration for 50% of a population
MAC	: Maximum Allowable Concentration
MARPOL	: International Convention for the Prevention of Pollution From Ships
NO(A)EL	: No Observed (Adverse) Effect Level
OECD	: Organisation for Economic Co-operation and Development
PBT	: Persistent, Bioaccumulative and Toxic
PC	: Chemical product category
PT	: Product type
REACH	: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	: Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	: Sewage Treatment Plant
SU	: Sector of Use
TWA/STEL	: Time-Weighted Average/Short Term Exposure Limit

UN : United Nations
VOC : Volatile Organic Compounds
vPvB : Very Persistent and Very Bioaccumulative
Number format : "," used as decimal separator.

History

Date of first issue : 13-04-2012
Date of second issue : 12-09-2012
Date of third issue : 11-10-2013
Date of fourth issue : 30-11-2015

Herewith all previous issues are expired.